

R

RESILIENT




TRANSFORM SPACE

ADMIX

ADMIX 18" X 36" / ADMIX 36" X 36"

patcraft®









AdMix homogeneous tile is a solid resin resilient constructed to withstand the most demanding environments. Admix offers a terrazzo-like visual in neutral tones for flexibility in design and bright shades for energetic playful spaces. Its continuous construction allows for scratches, scuffs and stains to be easily buffed. Ideal for wayfinding, zoning and branding, it can be water-jet cut, heat welded and flash covered for seamless, water-tight transitions. Easy, low cost maintenance reduces life-cycle costs and extends product life, ensuring longer lifespan for the floor.



inside the design /

In 18" x 36" and 36" x 36" square tiles, Admix is a 100% homogeneous solid resin resilient designed to offer unsurpassed performance in the highest demand environments.



easy to clean +
buff out scratches,
scuffs and stains



water resistant
with seamless
transitions



25 year
commercial
limited warranty



seamless
installation for
infection control



wayfinding, zoning
and branding



16 colorways
in brights and
neutrals










PERFORMANCE + CONSTRUCTION

A homogeneous, solid resin resilient designed to offer unsurpassed performance in your highest demand environments.



- Neutral and bright, timeless **colorline**, with bold accents
- **Resilient construction** allows for AdMix to be flash covered in areas where stringent cleaning and infection control are required
- No layer wear – 100% homogeneous solid resin
- **Homogeneous design** allows for scratches, scuffs and stains to be easily buffed out without jeopardizing the product’s visual appearance
- **Micro-squaring technology** provides for a virtually seamless installation, reducing dirt and soil between seams
- **2500 psi** when installed, providing a durable, high performance floor
- Backed by a 25 Year Limited Commercial Warranty and available Under Bed Warranty



SPACES + EXPERIENCES /

Recommended applications include high performance, high traffic end use applications including healthcare and education.

Education Use

Cafeteria	✓
Classroom	✓
Corridors	✓
Labs	✓
Restrooms	✓

Healthcare Use

Corridors	✓
Elevator Cabs	✓
Emergency Departments	✓
Labs	✓
Main Lobbies	✓
Nurse's Station	✓
Operating Rooms	✓





DURABILITY

EASY MAINTENANCE & REPAIR

2500 psi when installed. **100% homogeneous solid resin** allows for scratches, scuffs and stains to be easily buffed.

LONGEVITY

REDUCES LIFECYCLE COSTS

Easy, low cost maintenance **reduces lifecycle costs** and extends product life.

VERSATILITY

TIMELESS DESIGN

Neutral and bright, timeless colorline. Available in 18" x 36" and 36" x 36" square tiles.

RESILIENCY

WATERPROOF

Seams can be welded, creating a **water resistant** surface, appropriate for operating rooms and other clean room environments.

FUNCTIONALITY

SEAMLESS INSTALLATION

Virtually **seamless** installation, reduces dirt and soil between seams. Can be flash coved, to protect walls from spills and other soiling.

ADMIX VS TERRAZZO

	ADMIX	TERRAZZO	OTHER SOLID VINYL TILE	THE ADMIX ADVANTAGE
DURABILITY	●●●●●	●●●●●	●●	100% homogeneous solid resin prevents delamination & wear. 2500 psi when installed. Backed by an exceptional 25 year warranty and available Under Bed Warranty.
EASE OF INSTALLATION	●●●●●	●●●●	●●●●●	Glue down installation with initial surface treatment prior to use.
EASE OF MAINTENANCE	●●●●●	●●	●●●●	Easy, low cost maintenance. Reduced lifecycle costs. Virtually seamless installation eliminates dirt and soil. Product can be flash coated in spaces where infection control is critical.
REPAIRABILITY	●●●●●	●	●●●	Homogeneous design allows for scratches, scuffs and stains to be easily buffed out without jeopardizing visual appearance.
FLEXIBILITY	●●●●●	●	●●●●●	AdMix – Available in 18" x 36" and 36" x 36" square tiles; with a neutral and bright, timeless colorline. Optional weld rods used with the 36" size for design accents or to create clean room environments.
COMFORT	●●●●	●	●●●●	Softer underfoot than traditional stone products, with greater heat retention.
SAFETY	●●●●	●	●●●●	Passes testing for slip resistance.
INSTALLED PRICE	\$\$\$	\$\$\$\$\$	\$\$	







5



WELD ROD COLOR RECOMMENDATIONS

S167V | ADMIX COLORS*

(for both 18" X 36" and 36" X 36" sizes, as needed)



white coral | 00902



moon shell | 00902




classic | 00902



sun dial | 00902



fawn | 00147



sunrise | 00902



lush | 00902



fresh | 00902



soar | 00902



sand dollar | 00909



willow | 00518



scallop | 00916




shark's tooth | 00401



sea urchin | 00901



dove shell | 00404



radiant | 00902



*These are suggestions only. Please order samples to ensure desired color match.





ADMIX in colors 00437 and 00510



ADMIX | homogeneous tile

PRODUCT SPECIFICATIONS

ADMIX 18" X 36"

style / I508V

product size	18 in x 36 in 45.72 cm x 91.44 cm
construction	homogeneous tile
total thickness	0.126" 3.2 mm
installation	glue down

ADMIX 36" X 36"

style / I347V

product size	36 in x 36 in 91.44 cm x 91.44 cm
construction	homogeneous tile
total thickness	0.126" 3.2 mm
installation	glue down

SUSTAINABILITY CERTIFICATIONS

FLOORSCORE®
CERTIFIED

ENVIRONMENTAL PRODUCT DECLARATION (EPD)
CERTIFIED